



Enterprise Loop 2026 @ c-base, Rungestr. 20, 10179, Berlin, Germany
<https://elooop.org>

Cuneiform as a Service: Clay Tablets as an Enterprise-Grade Long-Term Archival Tier

kmein, M. A.

independent researcher

Executive Summary

Enterprises are legally and strategically obliged to retain data for ever longer periods, yet every mainstream archival medium is rated for decades at best. This paper evaluates the **clay tablet** as a write-once, read-many (WORM) storage tier with a field-proven retention of more than 5,300 years. We benchmark clay against LTO tape, Amazon S3 Glacier and M-DISC, and find that it outperforms all of them on observed retention by two to three orders of magnitude.

We further show that clay supports a clean separation between mutable drafts (unfired clay) and immutable commits (fired clay), that its disaster recovery story is uniquely **antifragile**, and that it ships with a mature customer support history dating back to 1750 BC. Interoperability is ensured through the Unicode cuneiform blocks and freely licensed fonts. We conclude with a migration roadmap towards a **tablet-first** archival strategy.

Introduction

Data is the new oil, and like oil it tends to leak. Magnetic media lose their magnetization, optical dyes fade, cloud providers sunset their storage classes, and file formats outlive the software that could read them. The industry's answer is the **migration treadmill**: copy everything to a new medium every few years, re-validate checksums, and hope that the budget survives the next reorganization.

Last year we demonstrated that the **Lindy effect**—the expected remaining lifetime of a non-perishable thing is proportional to its current age, or in Taleb's words, "the robustness of an item is proportional to its life" [1, Ch. 20]—favours ancient scripts over corporate emoji sets [2]. This paper extends the same reasoning from the **symbol layer** to the **storage layer**. If the oldest surviving written records are on clay, then clay is, by the only metric that cannot be gamed by a marketing department, the most durable storage medium humanity has ever deployed.

Our thesis: **clay tablets are the only archival medium whose retention SLA has been validated in production for longer than the existence of the vendors offering the alternatives.**

Background: The Clay Tablet Platform

Product History

The earliest unequivocal written documents are proto-cuneiform tablets from the Uruk IV period, c. 3300 BC; roughly 5,000 such texts are known from archaic Uruk alone [3]. The platform remained in continuous use for about three millennia, across several changes of language (Sumerian, Akkadian, Hittite, among others) and of political management—a level of backward compatibility no modern vendor has attempted.

Reference Deployment: The Library of Ashurbanipal

The largest reference customer is the royal library of Ashurbanipal at Nineveh, with more than 30,000 tablets and fragments recovered since its discovery by Austen Henry Layard in 1849, most of them now held by the British Museum [4]. This deployment is discussed in detail in the section on hardening.

Terminology

Practitioners will find that the Sumerian vocabulary maps cleanly onto modern concepts:

-  IM — **clay**, the raw storage substrate;
-  DUB — **tablet**, the unit of allocation;
-  DUB.SAR — **scribe**, literally "tablet writer", i.e. the I/O controller.

Durability Benchmark

We compare clay against three archival media currently marketed for long-term retention. **Rated retention** is the figure stated by the vendor; **observed retention** is the age of the oldest artefact of the medium that is still readable today, i.e. the only number that has actually been measured.

Table 1: Rated versus observed retention of archival media. Sources: [3], [5], [6], [7].

Medium	Introduced	Rated retention	Observed retention	Vendor
Clay tablet	c. 3300 BC	not specified	> 5,300 years	none (mud)
M-DISC	2009	1,000 years (claimed)	17 years	Millenniata
LTO Ultrium	2000	30 years (16–25 °C, 20–50 % RH)	26 years	LTO consortium
Amazon S3 Glacier	2012	99.99999999 % per year (design)	14 years	Amazon

Three observations stand out:

1. **Every competing medium has a rated retention that exceeds its observed retention.** Their durability is, in the strict sense, a forward-looking statement. Clay is the only medium for which the inequality is reversed.
2. **LTO's rating is conditional** on a climate-controlled storage environment. Clay has been stored in Mesopotamian soil at ambient temperature, subject to floods, war and the occasional palace fire, without any HVAC budget.
3. **S3 Glacier's eleven nines** describe annual durability of objects **while the service exists**. The specification is silent on the durability of the service itself.

Applying the Lindy effect to the observed column (fig. 1), the expected remaining lifetime of clay exceeds that of the next-best medium by a factor of more than 200.




Figure 1: Expected remaining lifetime under the Lindy effect, assuming each medium is expected to last as long again as it has already lasted.

Write-Once Semantics and Hardening

Draft and Commit

Clay offers a native two-phase storage model. **Unfired** clay is mutable: a tablet can be smoothed and rewritten while it is still damp, which corresponds to a working copy. **Firing** converts the tablet into ceramic, after which any modification is physically evident—an immutable commit with built-in tamper detection. Few modern WORM solutions provide integrity guarantees that are enforced by materials science rather than by a licence key.

Case Study: Nineveh, 612 BC

Nineveh was destroyed in 612 BC by a coalition of Babylonians, Medes and Scythians; the fire that consumed the palace partially baked the library's tablets and thereby preserved them [4]. A recent archaeometric study of a tablet-making facility in Nineveh found that none of the analysed tablets had been intentionally fired in antiquity [8].

From an enterprise perspective, this means that the Assyrian state ran its most important archive **on uncommitted drafts in production**, and that the commit was ultimately executed by a hostile third party. We believe this to be the earliest documented case of a security incident that **improved** data durability—an instance of antifragility that no current disaster-recovery plan can match. Taleb draws the distinction precisely: “The resilient resists shocks and stays the same; the antifragile gets better” [1], prologue. Backups are resilient; Nineveh was antifragile. We recommend that CISOs take note: in a clay-based architecture, the attacker is part of the backup strategy.

Post-Hoc Migration by the Custodian

The British Museum later fired its unfired tablets as a conservation measure. Thickett et al. evaluated the firing schedule for a collection of over 130,000 tablets from 22 sites and recommended lowering the firing temperature to avoid a damaging calcite decomposition reaction [9]. Jean et al. note that such museum firings were often carried out without documentation [8].

This is, in modern terms, an undocumented schema migration performed by the hosting provider. We note approvingly that it was nonetheless backward compatible: every tablet remained readable.

Case Study: Customer Support Since 1750 BC

A storage platform is only as good as its support channel. Clay offers the longest continuously archived support history of any medium. Tablet BM 131236, excavated at Ur by Sir Leonard Woolley and dated to c. 1750 BC, records a complaint by a customer named Nanni to the copper merchant Ea-nāšir about ingots

of substandard quality and the poor treatment of Nanni's messenger [10], [11]. It is recognized as the oldest written customer complaint. An excerpt with translation is given in the appendix.

We analysed the ticket against common service management practice:

- **Channel:** written, asynchronous, non-repudiable. Exemplary.
- **Severity:** high; the customer demands a full refund and announces that future shipments of insufficient quality will be rejected.
- **Escalation:** clearly documented, including the treatment of the customer's staff.
- **Resolution:** no response tablet has been recovered.

The ticket has therefore been open for approximately 3,775 years. Notably, the **complaint** survived; whether the copper did is not recorded. We conclude that clay reliably preserves exactly the data that management would prefer to forget, which makes it ideal for compliance and audit use cases.

Encoding and Interoperability

A storage medium that cannot be read is merely a heavy object. Clay mitigates format obsolescence in two ways.

Mathematical interoperability. Plimpton 322, an Old Babylonian tablet held at Columbia University and dated to around 1800 BC, records fifteen rows of numbers in base 60 that relate to Pythagorean triples [12]. The sexagesimal data format remains in active use for timekeeping and angular measurement today, making it one of the most successful serialization formats ever designed.

Digital interoperability. The Unicode Standard [13] encodes cuneiform in four blocks: **Cuneiform** (U+12000–U+123FF), **Cuneiform Numbers and Punctuation** (U+12400–U+1247F), **Early Dynastic Cuneiform** (U+12480–U+1254F) and **Archaic Cuneiform Numerals** (U+12550–U+1268F). The freely licensed Noto Sans Cuneiform typeface [14] covers the first three blocks and was used to typeset the signs in this paper. Tablets can thus be ingested into any Unicode-compliant system, closing the loop between the analogue cold tier and the digital hot tier.

Total Cost of Ownership

Media cost. Clay is abundant, regionally sourced and requires no rare earths. Its supply chain has no single point of failure.

Write cost. Throughput is limited by scribe capacity. The DUB.SAR role requires several years of training, and the current labour market for cuneiform scribes is, at best, tight. We classify this as a key-person risk and recommend an apprenticeship programme.

Read cost. Reading requires trained Assyriologists. However, it requires no drive hardware, no firmware, no licence server and no network connection.

Density. Storage density is admittedly modest: tablet BM 131236 measures 11.6 by 5.0 cm and stores a single support ticket. We consider this a feature. In our experience, data that is expensive to write is rarely written unnecessarily, which reduces downstream costs for storage, retrieval and legal review.

Migration Roadmap

We propose a phased adoption of a **tablet-first** archival strategy:

1. **Phase 0 — Assessment.** Identify data with a retention requirement greater than the expected remaining lifetime of the current medium (cf. fig. 1). For most enterprises, this is all of it.
2. **Phase 1 — Pilot.** Archive board resolutions and signed contracts on unfired tablets. Retain mutability during the review window.
3. **Phase 2 — Commit.** Fire approved tablets at a controlled temperature following conservation guidance [9]. Do not rely on adversaries to perform this step, even though historical precedent suggests they will.
4. **Phase 3 — Digital twin.** Transcribe tablets into Unicode cuneiform for search and analytics.
5. **Phase 4 — Decommission.** Retire tape libraries. Retain a single LTO drive for sentimental reasons.

Conclusion

Clay tablets are:

- **More durable:** observed retention above 5,300 years, against decades for all alternatives.
- **Truly immutable:** commits are enforced by ceramic chemistry, not by software.
- **Antifragile:** a hostile fire improves rather than destroys the archive.
- **Interoperable:** encoded in Unicode, rendered by free fonts, and mathematically compatible with every clock on Earth.
- **Vendor-neutral:** the substrate is literally dirt.

The question is not whether enterprises can afford to archive on clay, but whether they can afford to explain to an auditor in the year 7300 why they did not.

Declaration of Generative AI Usage

In accordance with the submission guidelines, which require generative AI in order to prevent human error from influencing valuable content, this paper was written by a large language model. Human contributions were limited to the choice of topic and to proofreading, and are hereby declared as a potential source of error. All factual claims were checked against the cited sources; the conclusions drawn from them are the model's own and should not be used for procurement decisions.

Appendix: Boring Details

The appendix is not mandatory reading for reviewers.

- Unicode 18.0 assigns 922 characters to the **Cuneiform** block, 128 to **Cuneiform Numbers and Punctuation**, 196 to **Early Dynastic Cuneiform** and 311 to **Archaic Cuneiform Numerals**, for a total of 1,557 [13].
- The signs used in this paper are U+1214E  IM, U+1207E  DUB and U+122AC  SAR.
- The observed retention of LTO, M-DISC and S3 Glacier is computed as of October 2026 from the year of first availability given in the benchmark table.
- M-DISC's rating is based on accelerated ageing according to ISO/IEC 10995; a 2009 U.S. Navy test at China Lake found no degradation under conditions that destroyed all dye-based discs [7].

Appendix: Ticket BM 131236 (Excerpt)

The complaint proper (obverse 1–15, reverse 19–25) of UET 5, 81, transliterated after the Cuneiform Digital Library Initiative [15]. The translation is our own, made from the transliteration and grouped by sense; for the standard translation of the whole letter see Oppenheim [11].

Lines	Transliteration	Translation
o. 1–3	<i>a-na é-a-na-ši-lr qí-bí-ma um-ma na-an-ni-ma</i>	Say to Ea-nāšir: thus says Nanni:
o. 4–8	<i>a-nu-ú-ma ta-al-li-ku ki-a-am ta-aq-bi-am um-ma at-ta-a-ma gu-ba-ri da-am-qú-tim a-na gi-mil-^asuen a-na-ad-di-in</i>	When you came, you said to me: “I will give good ingots to Gimil-Sîn.”
o. 9–10	<i>ta-al-li-ik-ma ta-aq-bi-a-am ú-la te-pu-uš</i>	That is what you told me when you came, but you did not do it.
o. 11–15	<i>gu-ba-ri la da-am-qú-tim a-na ma-ar ši-ip-ri-ia ta-aš-ku-un-ma um-ma at-ta-ma šum-ma te-le-qé-a le-qé-a šum-ma [la] te-le-qé-a at-la-ka</i>	You put ingots that were not good before my messenger and said: “If you (pl.) want to take them, take them; if you do not, go away!”
r. 19–22	<i>ki-si i-na qá-qá-ar na-ak-ri tu-uk-ti-il ki-si a-na qá-ti-ia šu-lu-ma-am e-li-ka i-šu</i>	[...] You have withheld my money bag in enemy territory; it is now up to you to return my money to me in full.
r. 23–25	<i>ki-ma an-ni-ki-a-am we-ri-a-am la du-mu-qá-am la a-ma-ḥa-ru-ka ta-la-ma-ad</i>	Take note: from now on I will not accept copper from you here that is not of good quality.

References

- [1] N. N. Taleb, **Antifragile: Things that gain from disorder**. Random House, 2012.
- [2] kmein, "Lindy hieroglyphs: Ancient scripts as a durable alternative to modern emojis," in **Proceedings of enterprise loop 2025**, Berlin, 2025. Available: <https://elooop.org/static/pdf/kmein2025.pdf>
- [3] Wikipedia contributors, "Proto-cuneiform." Accessed: Oct. 06, 2026. [Online]. Available: <https://en.wikipedia.org/wiki/Proto-cuneiform>
- [4] Wikipedia contributors, "Library of Ashurbanipal." Accessed: Oct. 06, 2026. [Online]. Available: https://en.wikipedia.org/wiki/Library_of_Ashurbanipal
- [5] Hewlett Packard Enterprise, "HPE LTO Ultrium cartridges: specifications." Accessed: Oct. 06, 2026. [Online]. Available: <https://hpe.com/no/en/product-catalog/options/pip.specifications.hpe-lto-ultrium-cartridges.1013249714.html>
- [6] Amazon Web Services, "Amazon S3 Glacier storage classes." Accessed: Oct. 06, 2026. [Online]. Available: <https://aws.amazon.com/s3/storage-classes/glacier/>
- [7] Wikipedia contributors, "M-DISC." Accessed: Oct. 06, 2026. [Online]. Available: <https://en.wikipedia.org/wiki/M-DISC>
- [8] M. Jean **et al.**, "A newly discovered tablet-making facility in Nineveh: Insights from scientific analysis," **Archaeometry**, 2026, doi: 10.1111/arcm.70144.
- [9] D. Thickett, M. Odlyha, and D. Ling, "An improved firing treatment for cuneiform tablets," **Studies in Conservation**, vol. 47, no. 1, pp. 1–11, 2002, doi: 10.1179/sic.2002.47.1.1.
- [10] The British Museum, "Tablet, BM 131236 (museum number 1953,0411.71)." Accessed: Oct. 06, 2026. [Online]. Available: https://www.britishmuseum.org/collection/object/W_1953-0411-71
- [11] A. L. Oppenheim, **Letters from Mesopotamia: Official, business, and private letters on clay tablets from two millennia**. University of Chicago Press, 1967.
- [12] O. Neugebauer and A. Sachs, **Mathematical cuneiform texts**, vol. 29. in American oriental series, vol. 29. New Haven: American Oriental Society, 1945.
- [13] The Unicode Consortium, **The Unicode standard, version 18.0**. 2026. Available: <https://www.unicode.org/versions/Unicode18.0.0/>
- [14] Google, "Noto sans cuneiform." Accessed: Oct. 06, 2026. [Online]. Available: <https://fonts.google.com/noto/specimen/Noto+Sans+Cuneiform>
- [15] Cuneiform Digital Library Initiative, "UET 5, 0081 (P414985)." Accessed: Oct. 06, 2026. [Online]. Available: <https://cdli.earth/artifacts/414985>